

SEQUENCE LISTING

<110> TAKAHASHI Hiroshi and HANADA Shuichi

<120> Method for Examining Cancer Cells and Reagent Therefor

<130> 03PF273-PCT

<160> 17

<210> 1

<211> 20

<212> DNA

<213> Artificial Sequence

<220>

<223> Oligonucleotide forward primer used in inverse PCR for amplifying
a region of HTLV-1 gene

<400> 1

aagccggcag tcagtcgtga

20

<210> 2

<211> 20

<212> DNA

<213> Artificial Sequence

<220>

<223> Oligonucleotide reverse primer used in inverse PCR for amplifying
a region of HTLV-1 gene

<400> 2

aagtaccggc aactctgctg

20

<210> 3

<211> 20

>>>

<212> DNA
<213> Artificial Sequence
<220>
<223> Oligonucleotide forward primer used in inverse PCR for amplifying
a region of HTLV-1 gene
<400> 3
gaaaggaaaa ggggttggAAC 20

>>>

<210> 4
<211> 20
<212> DNA
<213> Artificial Sequence
<220>
<223> Oligonucleotide reverse primer used in inverse PCR for amplifying
a region of HTLV-1 gene
<400> 4
ccagcgacAG cccattctAT 20

>>>

<210> 5
<211> 24
<212> DNA
<213> Artificial Sequence
<220>
<223> Oligonucleotide probe used for detecting a region of HTLV-1 gene
<400> 5
ctccaggAGA gaaatTTAGT acAC 24

>>>

<210> 6

>

> <211> 20
<212> DNA
<213> Artificial Sequence
<220>
<223> Oligonucleotide forward primer used for measuring pX gene in HTL
V-1 gene
<400> 6
ttcccgagg tttggacagag 20

>
<210> 7
<211> 20
<212> DNA
<213> Artificial Sequence
<220>
<223> Oligonucleotide reverse primer used for measuring pX gene in HTL
V-1 gene
<400> 7
cgaagatagt cccccagaga 20

>
<210> 8
<211> 25
<212> DNA
<213> Artificial Sequence
<220>
<223> Oligonucleotide TaqMan probe used for measuring pX gene in HTLV-1
gene
<400> 8
atacccagtc tacgtgttg gagac 25

>

<210> 9
<211> 20
<212> DNA
<213> Artificial Sequence
<220>
<223> Oligonucleotide forward primer used for measuring beta-globin gen
e
<400> 9
acacaactgt gttcactagc 20

>
<210> 10
<211> 20
<212> DNA
<213> Artificial Sequence
<220>
<223> Oligonucleotide reverse primer used for measuring beta-globin gen
e
<400> 10
caacttcatc cacgttcacc 20

>
<210> 11
<211> 25
<212> DNA
<213> Artificial Sequence
<220>
<223> Oligonucleotide probe used for measuring beta-globin gene
<400> 11

aacagacacc atggtgcatc tgact 25

<210> 12
<211> 20
<212> DNA
<213> Artificial Sequence
<220>
<223> Oligonucleotide forward primer used for measuring PCD1 gene
<400> 12
gacaaggctg ccctctcccta 20

<210> 13
<211> 26
<212> DNA
<213> Artificial Sequence
<220>
<223> Oligonucleotide reverse primer used for measuring PCD1 gene
<400> 13
ttaaatcaag accagatgtg gaagac 26

<210> 14
<211> 27
<212> DNA
<213> Artificial Sequence
<220>
<223> Oligonucleotide TaqMan probe used for measuring PCD1 gene
<400> 14
ctttcccaag accaggctgc cacttct 27

> >

<210> 15
<211> 19
<212> DNA
<213> Artificial Sequence
<220>
<223> Oligonucleotide forward primer used for measuring 4F2 gene
<400> 15
tccttcttgc cggctcaac 19

>
<210> 16
<211> 20
<212> DNA
<213> Artificial Sequence
<220>
<223> Oligonucleotide reverse primer used for measuring 4F2 gene
<400> 16
gcatccaggc caatctcatc 20

>
<210> 17
<211> 28
<212> DNA
<213> Artificial Sequence
<220>
<223> Oligonucleotide TaqMan probe used for measuring 4F2 gene
<400> 17
cgactctacc agctgatgct cttcaccc 28